



MICROCOPY RESOLUTION TEST CHART NATIONAL HURLAU OF STANDARDS 1968 A

SEC		READ INSTRUCTIONS
	REPORT DOCUMENTATION PAGE	BEFORE COMPLETING FORM
Ò:	SR-TH- 87 - 0801	3. RECIPIENT'S CATALOG NUMBER
4.	RAPIDLY CONVERGENT ALGORITHMS FOR NONSMOOTH OPTIMIZATION	5. TYPE OF REPORT & PERIOD COVERED Annual Scientific Report 15 July 1985 to 14 July 1 6. PERFORMING ORG. REPORT NUMBER
7.	AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(s)
	Robert Mifflin	AF0SR-83-0210
9.	Washington State University Pullman, WA 99164-2930	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11.	CONTROLLING OFFICE NAME AND ADDRESS Air Force Office of Scientific Research (NM)	12. REPORT DATE 14 July 1986
14.	Bolling Air Force Base Washington DC 20332 MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	3 15. SECURITY CLASS. (of this report)
		154. DECLASSIFICATION/ DOWNGRADING SCHEDULE

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Rep JUL 0 7 1987

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Nonsmooth Optimization Nondifferentiable Programming Constrained Minimization Line Search

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

The research supported under this grant has led to new developments for solving nonlinear optimization problems involving functions that are not everywhere differentiable and/or are implicitly defined, such as those that arise from dual formulations of optimization models.

A new result has been proved showing rapid convergence of an algorithm

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

for the single variable case where generalized derivations are available. For the single variable case where only function values are used a safeguarded bracketing technique has been introduced which guarantees convergence for lower semicontinuous functions and preserves rapid convergence of polyhedral and/or polynomial fitting algorithms. A safeguarded polyhedral/quadratic fitting algorithm has been developed which has better than linear convergence for certain piecewise twice continuously differentiable functions.

Ideas from the single variable case are being extended to the multi-variable case.

Acce	ssion For		
DTIC - Unan	GRA&I TAB nounced ification		
By Diet	ribution/	ion/	
Ava	ilability C	odes	
Dist	Avail and	or	
A-1			

The research conducted under Grant Number AFOSR-83-0210 during the period 15 July 1985 to 14 July 1986 is partially reported on in [1], [5], [6], and [7].

The goal of this project is to develop methods to solve efficiently constrained minimization problems that have problem functions that are not everywhere differentiable. Such difficult problems occur in practice when decomposition, nested dissection, relaxation, duality and/or exact L₁ penalty techniques are applied to large or complicated nonlinear programming problems in order to convert them to a sequence of smaller or less complex problems. Being able to use these techniques that often give implicitly defined problem functions gives a user flexibility in modeling a problem for solution and the ability to exploit parallel processing in computation.

For the case of minimization of a function of a single variable where generalized derivatives are know a new rapid convergence result has been proved in [5] for the algorithm developed under this grant in [2] and [4]. This algorithm maintains two points that define a bracket containing the problem solution. Via quadratic and polyhedral approximation each iteration determines a new point that becomes a new bracket endpoint and, hence, defines a new bracket. The result of [5] is that either the new point is superlinearly closer to the solution than both current bracket endpoints or the length of the new bracket is superlinearly shorter than that of the current bracket. This is proved under very weak convergence rate assumptions. This result was reported at and will appear in the proceedings of the International Conference on Numerical Optimization and Applications held at Beijing, China in June 1986.

In a private communication K. G. Murty has informed the principal investigator that the above algorithm will be described in a new book he

is writing. Also, he has reported very successful use of PQ1, the corresponding FORTRAN subroutine [4], by colleagues at the University of Michigan.

Together with J.-J. Strodiot the principal investigator has written two papers [6] and [7] to be submitted for publication on algorithms for single variable minimization which use only function (i.e. not derivative) values. In [7] a very general safeguarded bracketing technique is introduced which guarantees that the algorithm iterates are sufficiently distinct and that the iterate sequence converges to a stationary point as defined by Rockafeller [8] for lower semicontinous functions. When this technique is combined with certain sequential polynomial and/or polyhedral fitting methods it preserves certain types of rapid convergence. Each bracket has an interior point whose function value does not exceed those of the two bracket endpoints. The safeguarding technique consists of replacing the fitting algorithm's iterate candidate by a close point whose distance from the three bracket points exceeds a positive multiple of the square of the bracket length. Also, in [7] it is shown that a given safeguarded quadratic fitting algorithm converges in certain better than linear manner with respect to the bracket endpoints for a strongly convex twice continously differentiable function.

In [6] an algorithm for nonsmooth problems is introduced which uses function values at five points to generate each iterate. It employs polyhedral approximations as well as quadratic approximations and the above safeguard. The method has the type of better than linear convergence defined in [3] for certain piecewise twice continously differentiable functions. These results were presented at the TIMS/ORSA Joint National Meeting at Los Angeles in April 1986.

Current research is concerned with developing an efficient numerical method for n-variable minimization based upon the ideas in [3] and the thesis [1] of the principal investigator's former Ph.D. student N. Gupta.

REFERENCES

- [1] N. Gupta, A higher than first order algorithm for nonsmooth constrained optimization, Dissertation, Washington State University, Pullman, WA 1985.
- [2] R. Mifflin, Stationarity and superlinear convergence of an algorithm for univariate locally Lipschitz constrained minimization, Mathematical Programming 28 (1984), 50-71.
- [3] R. Mifflin, Better than linear convergence and safeguarding in nonsmooth minimization, in P. Thoft-Christensen, ed., <u>System Modelling and Optimization</u> (Springer-Verlag, New York, 1984).
- [4] R. Mifflin, An implementation of an algorithm for univariate minimization and an application to nested optimization, Department of Pure and Applied Mathematics, Washington State University, Pullman, WA 1985; to appear in Mathematical Programming Studies.
- [5] R. Mifflin, Concepts of better than linear convergence in nonsmooth minimization, Department of Pure and Applied Mathematics, Washington State University, Pullman, WA 1986.
- [6] R. Mifflin and J.-J. Strodiot, A rapidly convergent five point algorithm for univariate minimization, Report of the Department of Mathematics, Facultés Universitaires de Namur, Namur, 1986.
- [7] R. Mifflin and J.-J. Strodiot, A safeguarded bracketing technique for obtaining convergence and preserving rapid convergence in univariate minimization, Report of the Department of Mathematics, Facultés Universitaires de Namur, Namur, 1986.
- [8] R. T. Pockafeller, The theory of subgradients and its application to problems of optimization. Convex and nonconvex functions (Heldermann Verlag, Berlin, 1981).